

Inductive Charger E

Technical Data



Inductive Charger E | Technical Data

Specifications Charger	
Input voltage	5 V DC
Input current	≤ 0.5 A
Protection against electric shock	class III
Safety approvals	IEC 62368-1:2014
EMC	EN 55011:2016 / A1:2017 Group 2 Class B EN 55011:2016 / A11:2020 Group 2 Class B EN 61000-3-3:2013 / A1:2019 EN 61000-3-2:2019 Class A EN/IEC 60601-1-2 Ed. 4.0 EN 55035:2017 FCC 47CFR Part 15 Subpart B (2017) FCC 47CFR Part 18 Subpart C (2017) KDB 680106 D01 RF Exposure Wireless Charging Apps V.3 ICES-001 Issue 4 June 2006 Group 2 Class B RSS-216 Issue 2 January 2016 VCCI-CISPR 32:2016 Class B AS/NZS CISPR 11:2017
Against ingress of water	IP XO (ordinary)
Dimensions (LxWxH)	74 x 55 x 20 mm
Weight	51 g
Power supply / Data Connector	Micro USB
Operating conditions	
Temperature	+10 ... +30 °C / +50 ... +86 °F
Relative humidity	20 ... 75 %
Minimum air pressure	700 hPa
Storage conditions	
Temperature	+10 ... +40 °C / +50 ... +104 °F
Relative humidity	10 ... 80 %
Transportation conditions	
Temperature	-20 ... +60 °C / -4 ... +140 °F
Relative humidity	5 ... 90 %
Specifications power supply	
Input voltage	100 - 240 V AC
Input current	0.5 A
Input frequency	50 - 60 Hz
Output voltage	5 V DC
Output current	1 A

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

The information in this document contains general descriptions of the technical options available, which do not always have to be present in individual cases and are subject to change without prior notice. The required features should therefore be specified in each individual case at the time of conclusion of the respective contract.

 **Legal Manufacturer**
WSAUD A/S
Nymoellevvej 6
DK-3540 Lyngby, Denmark
Phone +45 44 35 56 00



Warning

Choking hazard posed by small parts.

- This instrument is not intended for the fitting of infants, children under 3 years and persons of mental incapacity.

Order No. 04291-99T1-7600
© 08.2020, WSAUD A/S
All rights reserved

www.signia-hearing.com

CE